DESIGN & INVESTIGATION OF AI-DRIVEN STRATEGIES FOR ENHANCING VEHICLE SAFETY

SHORT SYNOPSIS

Submitted in partial fulfillment of the requirement of the degree of

DOCTOR OF PHILOSOPHY

to

Manav Rachna International Institute of Research and Studies
(Deemed to be University)

by

Saloni

Registration number: 22/Ph.D./S/049

Under the supervision of

Supervisor

Dr. Umesh Dutta
Associate Professor, School of Engineering and Technology

Joint-Supervisor

Dr. Sudesh Pahal
Associate Professor, Electronics and Communication Engineering, MSIT, New Delhi

Department of Electrical & Electronics Engineering

School of Engineering and Technology

Manav Rachna International Institute of Research & Studies
Sector-43, Surajkund–Delhi Road, Faridabad– 121004

SCHOOL OF ENGINEERING AND TECHNOLOGY

Certificate

I hereby declare that the short synopsis **"Design & Investigation of AI -Driven Strategies for Enhancing Vehicle Safety"** being submitted in partial fulfillment of the requirement for the degree of Doctor of Philosophy in Electrical and Electronics Department under School of Engineering and Technology of Manav Rachna International Institute of Research & Studies, Faridabad during the academic year 2022-2023

It is a bona fide record of original work carried out under the supervision of Dr. Umesh Dutta & Joint- Supervisor Dr. Sudesh Pahal and has not been submitted in full or part to any other university or institute for degree or diploma. Further, it is certified that short synopsis is plagiarism free and proof has been submitted.

Saloni
22/Ph.D./S/049

Signature of the Supervisor

Dr. Umesh Dutta,
Associate Professor, Department of ECE

Signature of the Joint Supervisor

Dr. Sudesh Pahal,
Associate Professor, MSIT, New Delhi

Chairperson, DRC

Dean, School of Engineering and Technology

Abstract

The issue of road safety transcends borders, impacting nations regardless of their economic conditions. With India's expanding road network and increasing vehicular density, there has been a worrying rise in accidents. This study explores the pivotal role of vehicular networks in improving road safety, traffic efficiency, and inter-vehicle communication. The vehicular networks aid in leveraging trajectory prediction which would further assist in estimating collision risk. The methodology encompasses the incorporation of advanced intelligent techniques such as the kalman filter with YOLO (You Only Look Once), convolutional neural network with LSTM (Long-Short Term Memory), and LSTM with an attention mechanism to facilitate the identification and analysis of vehicular trajectories. Subsequent to vehicle trajectory prediction, the assessment of risk and safety analysis shall be carried out using suitable deep learning techniques such as Time to Collision, Cupola Method etc.

The research focuses on improving road safety by harnessing trajectory prediction and risk analysis. It offers drivers timely warnings to avert potential accidents by generating early alerts using techniques such as the fuzzy logic framework. The seamless communication facilitated by vehicular networks enables real-time information exchange, promoting a proactive approach to collision avoidance and overall road safety using 5G and artificial intelligence technologies. Moreover, vehicular networks lay the foundation for intelligent transportation systems, enabling real-time communication and coordination between vehicles and infrastructure elements like traffic lights and road signs. This research aims to develop a predictive model for vehicle trajectories, implement sophisticated risk assessment methods using deep learning to support further research, design a robust collision warning system, and establish effective communication among vehicles. This research contribution aligns with technological advancements aimed at mitigating vehicle collisions, enhancing overall road safety, and significantly reducing the risk of accidents.

Keywords: *Collision avoidance, Deep learning, Early warning system, Neural network, Risk assessment, Vehicular communication, and Vehicle trajectory prediction*

Table of Contents

Certificate		**i**
Abstract		**ii**
Table of Contents		**iii**

S.No.	**Contents**	**Page No.**
1	**Introduction**	**1-2**
2	**Literature Review**	**2-9**
3	**Description of Broad Area**	**9-12**
4	**Research Gaps**	**13**
5	**Research Objectives**	**13-14**
6	**Research Methodology**	**14-15**
7	**Expected Outcome of the Research**	**15-16**

References

Similarity Verification Report

1. Introduction

Within the sphere of traffic safety and mobility, technological advancements have transformed our methods for managing accidents. The main goal is to prevent accidents and make roads safer, and one key aspect is collision avoidance [1]. This means finding ways to stop accidents from happening. To achieve this, data from the movement of vehicles is utilized. From this data, acquired through systems like GPS (Global Positioning System) [2], RADAR (Radio Detection and Ranging), LIDAR (Light Detection and Ranging), and cameras [3, 4], the vehicle's control system derives crucial insights to identify obstructions and neighboring vehicles. Leveraging this information, the control system then initiates actions to prevent potential collisions. There are two ways to approach collision avoidance: analytical and data-driven methods and they have different ways of preventing accidents. When it comes to collision avoidance, the analytical approach relies on mathematical models and algorithms. Employing fundamental laws and regulations, these tools anticipate collision risks. Techniques such as the MDP (Markov Decision Process) [5, 6] and MC (Monte Carlo) simulations [7] play a pivotal role in this prediction. Embracing a data-centric strategy for collision prevention, systems rely on diverse real-world data sources, fostering a comprehensive database to sustain collision avoidance capabilities. Through ML (Machine Learning) algorithms [8], this data is scrutinized to discern patterns and behaviors indicative of approaching collision risks. Approaches like convolutional neural networks, deep reinforcement learning [9], and computer vision techniques are used for potential collision risks.

Following Risk evaluation, the subsequent phase in vehicular networks involves a concentrated effort on evaluating and quantifying the risks associated with communication and interaction among vehicles and infrastructures. This requires the identification, prioritization, and analysis of risks to enable informed decision-making and the implementation of suitable actions. Methods like Time-to-Collision and Time-to-Arrival [10] help evaluate collision risks, providing drivers with warnings based on trajectory forecasts. A collision warning system acts as a high-tech guardian for drivers, alerting and assisting them by giving early warnings about potential collisions or hazards on the road. An innovative technique, the fuzzy comprehensive evaluation method, considers factors such as position, distance, speed, and time to provide early warnings [11]. By taking proactive measures and utilizing advanced methods and vehicular communication [12],

we can predict and prevent collisions, promote intelligent vehicles, and improve road safety, traffic management, and transportation efficiency. Fig.1. showing the various stages of collision avoidance.



Fig. 1. The process of collision avoidance involves several sequential actions

2. LITERATURE REVIEW

A comprehensive review was conducted and presented in a straightforward manner. The survey findings reveal a noticeable trend indicating an uptick in research interest surrounding the issue.

2.1 VEHICLE TRAJECTORY PREDICTION

Numerous algorithms have been developed to find the trajectory of a vehicle. Early research in the field primarily concentrated on estimating the overall state of freeway travel instead of pinpointing the exact location of individual vehicles. Vehicle trajectory prediction is a fundamental aspect of assistance systems (ADAS) was explained by Dahl et al. aiming to anticipate the future motion of vehicles to enhance safety and efficiency on the roads [7]. Over

the years, researchers have explored various methodologies and techniques to improve the accuracy & reliability of trajectory prediction algorithms. Ammoun et al. proposed a novel approach in 2009 that leverages advanced machine learning techniques and presented a collision risk estimation model that utilizes trajectory predictions to assess the likelihood of collision between vehicles in dynamic traffic scenarios.

To achieve this, we first collected real-world vehicle trajectory data from various sensors, including GPS, RADAR, and cameras and then they applied Kalman Linear Filtering (3D Filtering) to learn temporal patterns. These models use a large data set. Generally, they proposed a real-time implementation framework that enables efficient trajectory prediction by utilizing parallel processing and optimized model architectures [3]. After the accumulation of data, there was a scope of ambiguity. In 2013, Goodall focused on the unequipped vehicles and estimated their locations with the help of equipped vehicles on an arterial or freeway with proactive safety measures and an adequate level of correctness and used these approximations to upgrade the performance of connected vehicle mobility applications. Utilizing refined data on connected vehicle trajectories, along with equipped vehicle positions and behaviors, enables estimation of unequipped vehicle positions on arterials and freeways. This estimation is significantly enhanced by algorithms for arterial location estimation and the Wiedemann Model, GAP Algorithm, and Simulation techniques, which insert vehicle estimates into observed gaps in the queue.

However, attention should be directed towards improving Global Positioning System accuracy, lane-level vehicle positioning, and acceleration sensor precision for better tracking [13]. So there was a scope for improvement. In 2018, Park et al. focused on a novel approach for vehicle trajectory prediction using LSTM (Long Short-term Memory) Encoder-Decoder architecture to predict the trajectory of vehicles. This type of architecture is commonly used in sequence-to-sequence tasks where the input and output sequences can have different lengths. They deal with the difficulties of creating a model to predict how vehicles move. They applied RNN (LSTM) but there are some key areas of concern for long-term prediction accuracy and handling uncertainty in predictions and effectiveness in complex driving scenarios [14].

Additionally, there is a need to explore methods to generalize well to diverse driving patterns, handle missing or irregular data, and incorporate contextual information for improved predictions. Atallan et al. tried to work on traditional approaches like the Markov decision Model [6] and Monte Carlo simulation. In 2019, Jawed et al. tackled the challenge of vehicle trajectory prediction within a multi-step time series regression framework. Their approach

involved a two-step process: first employing cutting-edge methods in object detection and tracking to generate trajectory sequences, then feeding these sequences into a CNN (Convolutional Neural Network) capable of forecasting the paths of nearby vehicles. The approach based on a Convolutional Neural Network showed superior performance compared to traditional methods like linear regression, decision trees, and basic baselines. They implemented Keras with Tensor Flow and Nvidia GTX 1080 Ti. They prioritized short-term predictions, yet they failed to develop models capable of accurately forecasting vehicle trajectories over longer time horizons, such as minutes [15].

In 2020, Baek et al. devised a Collision Warning System and Vehicle Trajectory Prediction by integrating Multisensors and V2X communications. They combined radar, lidar, and camera systems typically found in cars with V2X communication devices to assess safety benefits. Employing a Kalman filter-based approach, the system merges V2X data with onboard sensors, bolstering remote sensing capabilities. Through trajectory predictions and risk evaluations, the system delivers timely visual and audible alerts to drivers ahead of potential collisions. Testing its efficacy involved simulating two scenarios: vehicle-vehicle collisions in an SCP setting and a vehicle-pedestrian collision in the Euro NCAP test environment. The outcomes revealed significant enhancements in driver and pedestrian safety, as the system improves perception and issues appropriate collision warnings, even in challenging conditions where existing safety mechanisms may falter [16].

However, there remains a deficiency in practical implementations and assessment under real driving conditions. In 2022, Jiang et al. attempted to highlight that the YOLO algorithm has revolutionized real-time object detection with its efficiency and speed, making it suitable for applications like video surveillance and autonomous driving. Advancements from YOLOv1 to YOLOv5 have improved accuracy and robustness, but challenges remain, such as detecting small, overlapping objects and balancing speed with precision. Despite its versatility and ease of integration, future research should address these gaps to enhance YOLO's adaptability and performance across diverse domains [17].

Within the YOLO family, versions such as YOLO v2 and YOLO v5 exist, but YOLO-R emerges as standout advancement, surpassing the performance of YOLO v2.

Chen et al. described an approach, SSD (Single Shot Detector), in 2022, to object detection that simplifies the identification of potential object locations by dividing the space into predetermined bounding boxes of diverse shapes and sizes. These boxes encompass various aspect ratios and scales across each position on the feature map. While SSD is renowned for its

accuracy in object detection, its ability to detect objects of varying sizes contributes significantly to its superior performance. However, there is a slight trade-off in speed compared to YOLO, as SSD processes images at a slightly slower pace. A refined vehicle detection algorithm leveraging SSD is introduced to enhance accuracy, especially in detecting smaller vehicles. This enhancement involves integrating an Inception block into the additional layer of SSD before prediction, thus boosting its performance [18]. Additionally, a novel technique customized for vehicle detection is implemented to determine the scales and aspect ratios of the default bounding boxes. This adjustment enhances position regression and maintains rapid processing speed.

Chen et al. in 2022 introduced ScePT, a novel model that utilizes a Conditional Variational Autoencoder (CVAE) to generate multimodal joint trajectory predictions while maintaining strong scene consistency. ScePT employs a CVAE framework to generate joint trajectory predictions. This approach allows the model to capture complex interactions between agents and provides a probabilistic framework for generating multimodal predictions. The encoder of ScePT utilizes a Gibbs distribution to effectively capture interactions between agents. Instead of predicting individual node behaviors, the model predicts probabilities for the entire clique of agents, enhancing the joint prediction quality. The decoder of ScePT learns agent interaction policies to produce trajectory predictions that exhibit high scene consistency. This is achieved through the use of an explicit collision penalty as regularization during training, leading to more realistic closed-loop trajectory predictions. Through experiments on diverse datasets (ETH, UCY, and nuScenes), ScePT demonstrates superior prediction accuracy compared to existing methods. This showcases its effectiveness in generating accurate trajectory predictions. ScePT notably enhances scene consistency, ensuring that the generated trajectories align well with real-world scenarios [19].

This advancement is crucial for generating more reliable and believable trajectory predictions. The paper illustrates ScePT's integration with a downstream contingency planner, highlighting its practical usability in real-world applications. The model's ability to generate human-like behaviors by conditioning on specific inputs demonstrates its versatility and potential for diverse applications.

2.2 RISK ASSESSMENT

When predicted trajectories suggest possible collisions, risk assessment [20] can activate preventive measures, thereby maintaining real-time safety measures. In 2018, Hamid et al. discussed various strategies like Time-to-X (certain metrics), Time-to-Collision (TTC) [1] [7],

Time-to-react (TTR), and approaches to enhance collision avoidance systems in autonomous vehicles. They also explored methods for evaluating and optimizing path planning, potential threats, and ensuring accurate path tracking to refine the safety and effectiveness of autonomous vehicles on the road. They mentioned various methods like Time-to-X, Time-to-Collision, and Time-to-React. TTC and TTR both have different limitations. In 2018, Dahl et al. discussed the analysis of threat-assessment methods without considering path planning and path tracking used for collision avoidance. It likely surveys existing literature to identify various methods used for evaluating potential threats in different scenarios. The contribution lies in its synthesis of these techniques, helping readers to understand the landscape of collision avoidance strategies, their strengths, limitations, and potential areas for improvement. They have mentioned the SBTM (Single-behavior threat metrics), optimization-based methods, formal methods, and probabilistic approaches [7].

However, the methodology for achieving such a combination remains unclear and warrants further exploration. In 2021, Li et al. introduced the Risk Object Identification with Attention (ROI-A) Dataset [21]. Additionally, it's noted that the detection and tracking performance for traffic lights and stop signs tend to be relatively lower compared to other categories. This discrepancy can be attributed to two main factors: i) the inconsistency in detecting and tracking these categories, and ii) the complexity of constructing a reasoning module using these categories due to their physical absence along the ego-vehicle trajectory, necessitating a comprehensive understanding of the scene and layout. In 2022, Agarwal et al. experimented with a fresh method using unlabeled and unfamiliar data. They trained a neural network on a dataset where each piece of data had a particular risk level, enabling the network to learn and predict effectively [22]. In 2023, Antonante et al. explored a statistical tool called Cupola, which helps analyze tail dependencies among distributions [23]. This tool assists in evaluating the task at hand.

2.3 WARNING SYSTEM

Ensuring the safety of drivers is just as crucial as maintaining road safety overall. One key component in achieving this goal is implementing a collision warning system. This system is specifically designed to alert and aid drivers in recognizing potential collisions or hazards on the road ahead. By providing timely warnings and assistance, it serves as a vital tool in preventing accidents and ensuring the well-being of both drivers and passengers. According to the study by Pawelec et al. (2008), an Information Communication Technology (ICT) and wireless networks, a method known as warning signal propagation is used to alert drivers further back in a vehicle column. However, issues like delays, signal interference, and

bandwidth constraints have prompted researchers to explore new technologies [24]. In 2011, Yang et al. introduced Intersection Collision Warning (ICW), leveraging Wi-Fi-enabled smartphones with GPS receivers to create ad-hoc vehicular networks [25].

Initially, smartphones gather vital safety data, including location, direction, and speed using GPS. Yet, drivers often overlook their surroundings, rushing and neglecting their environment. In 2020, Prajapati et al. evaluated the effectiveness of different fuzzy membership functions in predicting the performance of a solar PV array. The paper compares triangular, trapezoidal, and Gaussian membership functions, analyzing their impact on the accuracy of power output predictions under varying solar radiation and temperature levels. Results indicate that while each membership function has its strengths, triangular and trapezoidal functions generally provide better accuracy compared to Gaussian, as measured by mean square error (MSE). However, the choice of the most suitable membership function varied based on specific system requirements and conditions, and one of the membership functions was used in the fuzzy comprehensive evaluation method [26].

2.4 COMMUNICATION AMONG VEHICLES

A major challenge is preventing collisions, especially when many nodes try to send data at the same time. When packets collide, they have to be sent again, causing delays that are bad for applications needing things to happen quickly. In 2017, Pressas et al. introduced a contention-based MAC (Media Access Control) protocol for vehicle-to-vehicle broadcast transmissions, leveraging Q-Learning to continually interact with the network and discover the optimal contention window. Through simulations, its effectiveness becomes evident, showcasing better scalability and data rate accommodation when compared to IEEE 802.11p. This results in improved reliability in packet delivery, heightened system throughput, and satisfactory levels of delay. Additionally, they didn't explore how the learning MAC adapts to environmental changes via ε decay function or how it could reduce transmission latency [27].

In 2018, Atallah et al. explored a decision-making and collision avoidance approach that utilizes the elastic band theory to adapt the path as necessary, with a focus on the potential benefits of safety-related vehicle-to-vehicle applications [6]. It successfully addresses high crash risk scenarios with or without V2X communication; the study demonstrates the effectiveness of the proposed method. It also expands the analysis to complex situations involving maneuvering around multiple vehicles. The use of Hardware-in-the-loop (HIL) simulations in a realistic environment enhances the evaluation of the algorithm's performance

using a well-validated vehicle model. They applied CarSim simulation software, SCALEXIO a real-time HIL simulation computer that runs the Simulink/CarSim models and DSRC modems. However, HIL simulations provide valuable insights, and translating these findings into actual driving conditions can reveal unanticipated challenges and intricacies that simulations might not capture. Additionally, they suggested future work could explore the integration of the proposed approaches with other control systems, Autonomous Vehicles, Connected Vehicles, Advanced Driver Assistance Systems (ADAS), and other relevant automotive control domains. This integration, while promising, requires further investigation to ensure seamless compatibility and optimization across these different technologies.

In 2018, Liang et al. explored how machine learning can address challenges in high-mobility vehicular networks as wireless technology advances to support connected vehicles [8]. With vehicles equipped with advanced sensors generating large volumes of data, machine learning offers tools to leverage this data for network optimization. The unique characteristics of high mobility vehicular networks and advocates for the use of machine learning to tackle associated challenges. They introduced machine learning concepts and discussed their applications for learning network dynamics and optimizing performance, with a focus on reinforcement learning for resource management. In 2019, Dubosarkii et al. showed a model based on the likelihood of link duration and cluster presence between two specific instances, yielding innovative outcomes regarding cluster evolution and offering valuable insights into network dynamics. The focus primarily rested on vehicles positioned on the highway and the connectivity status between successive cars. Although, there was a scope for improvement [5]. Alrehan et al., 2019 addressed the pressing need for safety and control in road traffic by exploring the potential of Vehicular Ad hoc Networks (VANETs) within Intelligent Transport Systems (ITS). While VANETs hold promise for improving road safety and traveler comfort, they face significant security vulnerabilities, particularly Distributed Denial of Service (DDoS) attacks. The study focuses on understanding various attacks, including DDoS, on VANET systems and explores machine learning-based solutions for detection. By analyzing VANET architecture and characteristics, the paper aims to provide insights into developing robust security solutions tailored to the unique challenges of VANET environments. They proposed a solution for detecting and preventing DDoS attacks in VANET, along with generating a specialized dataset to enhance research in this area [28]. Cryptographic techniques have also been employed and studied by Gyawali et al. in 2020. However, due to insider attacks, there is the shift towards a Cooperative perception and other techniques [29].

Barmpounakis et al. in 2020, introduced a groundbreaking vehicle-to-everything service named

VRU-safe, aimed to identifying and forecasting potential road hazards between vehicles and Vulnerable Road Users (VRUs). Evaluation in real network automotive test beds demonstrates VRU-safe's accuracy and efficiency in detecting collision events. The experiments showed that both mobile edge computing (MEC) based and cloud-based operations effectively identify hazardous situations, with MEC performing better in certain scenarios and cloud-based operations excel in upscaled environments [30]. However, they need to optimize algorithms to reduce end-to-end latency and enhance collision identification accuracy using deep learning-based prediction techniques.

Guerrero-Ibanez et al. in 2021, focused on how Intelligent Transportation Systems (ITS) can benefit from deep learning methods to enhance traffic flow, safety, and efficiency in urban areas. By analyzing large datasets generated by digital devices connected to transportation networks, deep learning algorithms can predict traffic patterns, manage traffic lights, detect lanes, and identify objects near vehicles. They discussed challenges in integrating deep learning with ITS, such as optimizing transportation logistics, predicting optimal routes for goods delivery, reducing fuel consumption, enhancing environmental awareness, managing traffic speed, and preventing accidents. They emphasized the integration of deep learning techniques with ITS to improve transportation services and automated driving environments [31].

By leveraging vast amounts of data from digital devices and existing datasets, deep learning models can learn patterns and make informed decisions. Addressing challenges in this integration process is crucial for ITS to fully utilize the benefits of deep learning. This integration has the potential to enhance autonomous vehicle networks and provide personalized services based on the behavior, needs, and information of various stakeholders, including passengers, drivers, pedestrians, and roadside infrastructure. Ultimately, this will lead to improved experiences, products, and services offered by ITS.

3. DESCRIPTION OF BROAD AREA

When it comes to communication between vehicles, it's super important in Vehicular Communication. This includes communication between vehicles and infrastructure (V2I), vehicle-to-pedestrians (V2P), vehicle-to-vehicle (V2V), and vehicle-to-network (V2N), as well as a mix of all these (V2X). It's helpful for safety, traffic flow, self-driving cars, and emergency response.

In the past, there were MAC protocols for this, but they're complicated and tough to analyze.

Now, DSRC, a wireless tech for vehicles, lets them share info like speed and position to stay safe. It boosts road safety and keeps traffic moving smoothly by sharing real-time data. But now, with better wireless networks and cellular tech, researchers are looking into using these for V2X communication. Before safety messages were sent out to everyone, but that left them open to attacks like denial-of-service. While employing cryptography provides some security benefits, it's crucial to remain vigilant against potential risks from insiders.

With the introduction of 5G [30], data speeds are much faster and there is less delay. This improvement allows us to use technologies like sensor fusion, cooperative perception, vehicle-to-everything (V2X) communication, and artificial intelligence for safety features, avoiding collisions, and enabling self-driving cars. Fig. 2 depicts the communication among vehicles. Sixth-generation networks offer a paradigm shift towards highly adaptable and customizable end-to-end communication, intending to elevate various facets of network performance to new heights [32].



Fig. 2. Vehicle Communication Systems.

In vehicular safety, collision avoidance systems are essential for preventing accidents and minimizing their severity. These systems often incorporate a combination of sensors, such as radar, lidar, and cameras, to detect potential hazards on the road, including other vehicles, pedestrians, and obstacles. Advanced algorithms analyze this data to assess the risk of a collision and trigger appropriate actions, such as alerting the driver, applying brakes, or steering away from danger. By providing early-warning and assisting drivers in critical situations, collision avoidance technologies play a crucial role in improving road safety and reducing the number of accidents.

Trajectory prediction is the process of forecasting the future path or trajectory of an object based on its current state and known factors such as initial conditions, environment variables, and physical laws. It involves using mathematical models [5] [6], simulations, and possibly machine learning algorithms to estimate where the object will be at future time points. It is commonly used in various fields such as aerospace, robotics, physics, and meteorology to anticipate the movement of objects like vehicles, projectiles, or weather patterns. Predicting trajectories in broad areas is a multifaceted process that relies on various factors. Initially, we consider the starting conditions, including the object's initial velocity, position, and orientation. Environmental variables such as wind speed, direction, and atmospheric conditions also play a significant role in determining the trajectory. Mathematical models, such as equations of motion derived from physics principles, help us simulate how these factors interact over time to predict the object's path accurately. Techniques like numerical integration, which discretizes the equations of motion and calculates the object's position at successive time steps, are commonly used for this purpose. In addition to mathematical modeling, simulations provide a valuable tool for forecasting trajectories. By running multiple simulations with different initial conditions and environmental inputs, we can assess the range of possible outcomes and their probabilities. Furthermore, machine learning algorithms can enhance trajectory prediction by learning patterns from historical data and making predictions based on similar scenarios. These algorithms can account for complex interactions between various factors and adapt to changing conditions over time. Real-time data collection and analysis are crucial for refining trajectory predictions, particularly in dynamic environments where conditions may change rapidly. By continuously updating input parameters based on observed data, we can improve the accuracy of our predictions and respond effectively to evolving situations. In summary, predicting trajectories in broad areas involves a combination of mathematical modeling, simulations, machine learning, and real-time data analysis. By integrating these techniques, we can forecast trajectories with greater accuracy and reliability, enabling us to make informed decisions and mitigate potential risks effectively.

Risk assessment involves evaluating potential hazards or threats associated with the predicted trajectory, consider elements like Time-to-collision, Time-to-react, and Certain Metrics. This process includes Uncertainty analysis, Impact Zones, Mitigation Measures, and Contingency Planning [33]. To assess the reliability and confidence level of the predicted trajectory, we consider factors like measurement errors and model uncertainty. When the trajectory intersects with populated areas or sensitive environmental sites, it's

crucial to identify these areas. Strategies are then developed to mitigate potential risks, such as alerting the trajectory and implementing safety protocols. Plans are also formulated to address unexpected deviations from the predicted trajectory, including emergency response procedures and communication protocols. Various methods can be employed for risk assessment, including qualitative and quantitative approaches. Qualitative methods utilize techniques like risk matrices, risk registers, and risk storing systems. Quantitative methods assign numerical values to risks, enabling more precise analysis and comparison. Techniques such as probabilistic risk assessment, fault tree analysis [34], and event tree analysis fall under quantitative methods. Additionally, scenario-based risk assessment is valuable for identifying vulnerabilities, evaluating response strategies, and prioritizing risk mitigation efforts. Techniques like Monte Carlo, Neural Networks, and Machine Learning can also be utilized in this process.

An Early Warning System (EWS) in vehicular communication keeps an eye out for potential communication problems between vehicles or between vehicles and infrastructure in real time. These systems use sensors, data analysis, and communication protocols to monitor how well communication networks are working in traffic. EWS, like ICT, really cut down on crash fatalities, injuries, and damage. They rely on ICT and wireless networks to send warnings to drivers further back in traffic, helping them react quickly. Even though there can be signal problems and delays, researchers are working on new technologies to make things safer. Another idea is the Intersection Collision Warning (ICW), which uses Wi-Fi-enabled smartphones to link up vehicles. They share safety info and can warn drivers about possible crashes. Researchers are also working on ways to deal with drivers who aren't paying attention or taking risks, aiming to make things safer and cut down on human errors. The fuzzy early warning algorithm is another smart tool. It uses fuzzy math to figure out how risky a situation is up ahead. It looks at things like position, distance, speed, and time-to-collision to calculate the danger level. This method helps turn vague assessments into something more concrete by giving different factors different weights, making it easier to understand the risks. In a 5G V2X environment, the IIDS (Intelligent Intrusion Detection System) framework efficiently broadcasts messages concerning malicious Autonomous Vehicles (AVs), contributing to collision prevention and achieving 98% accuracy rate in attack detection [35].

4. RESEARCH GAP

1. Initial research focused on broader estimates of vehicle movement, falling short in accurately predicting individual trajectories, which is essential for advancing applications like autonomous driving and risk management.

2. While machine learning methods have enhanced predictive accuracy, they encounter difficulties in managing real-time data and dynamic traffic conditions, underscoring the need for more efficient, adaptive models.

3. The integration of vehicle-to-vehicle data has exposed shortcomings in GPS accuracy and sensor reliability, pointing to the necessity for improved localization technology in trajectory prediction systems.

4. Although sequence-based models such as LSTMs and RNNs have made strides in short-term trajectory forecasting, they continue to face obstacles in maintaining long-term accuracy and managing uncertainties in complex traffic scenarios.

5. CNNs have demonstrated their potential in short-term trajectory predictions, but further refinement is required to extend their applicability to long-term forecasting, particularly in autonomous driving contexts.

6. The integration of V2X communication and sensor data, while promising, remains insufficiently tested in real-world conditions, emphasizing the need for more comprehensive validation in areas such as collision warning and real-time traffic management systems.

4. RESEARCH OBJECTIVES

A review of the literature indicates that roads are becoming increasingly congested, leading to a rise in accidents. To address this issue, various techniques have been employed, with hybrid methods proving particularly promising. These techniques, coupled with artificial intelligence or deep learning approaches, offer potential solutions.

Once trajectories are identified, it becomes crucial to evaluate the reliability of the predicted paths. In addition, implementing an early warning system emerges as a pertinent strategy. Central to all these efforts is the establishment of communication among vehicles, encompassing V2V, V2I, and V2P interactions.

The objectives are:-

1. To predict the trajectory of vehicles with high accuracy using deep learning techniques.

2. To analyze the risks and hazards with the help of neural networks -based risk assessment methods.

3. To design and develop a warning system for potential risks.

4. To ensure successful communication among vehicles regarding safety messages

5. RESEARCH METHODOLOGY

This research incorporates various literature reviews to refine its methodology. It meticulously considers all steps necessary for collision avoidance and carefully selects appropriate methods for implementation. The integration of hybrid and deep learning techniques stands out as the pinnacle of this technological advancement. Implementing the hybrid techniques and the deep learning techniques are the gems of the technology. The proposed methodology is divided into four steps for a better approach. In the initial phase, the primary objective is to forecast the trajectory. Subsequently, this trajectory is predicted using Object detectors operating in hybrid mode. Enhancing road safety by identifying, evaluating, and potential risks in real-time can be done with the help of risk assessment. Ensuring drivers are alerted, warned, or assisted when necessary is crucial for safety. Designing a reliable early warning system for detecting vehicle collisions and facilitating communication among vehicles is paramount for collision prevention via vehicular networks.

The work will be done in following steps:-

Step 1: Selection of hybrid technique and apply that technique to predict the trajectory.

Step 2: Identify all factors pertinent to risk assessment, and utilize artificial intelligence

techniques to automate the assessment process by analyzing patterns and characteristics.

Step 3: Design a collision warning system and activate a warning system, seeking prominent methods in early warning detection systems.

Step 4: Verify all the parameters and implement the communication among vehicles with the help of either 5G technologies, Machine learning, or Artificial intelligence.

6. EXPECTED OUTCOME OF THE RESEARCH

1. The expected outcome would be a predictive model capable of accurately forecasting the trajectory of vehicles based on various input parameters such as velocity, acceleration, road conditions, and surrounding traffic patterns. This model would leverage deep learning techniques to learn complex relationships from vast amounts of data, enabling it to make precise predictions even in dynamic and uncertain environments.
2. Predicted performance for risk assessment methods using neural networks would be a sophisticated predictive model capable of analyzing large datasets to identify potential risks and their probabilities. The neural networks leverage historical data to learn, detect patterns, and make accurate predictions about future risks. It would enable proactively managing and mitigating risks, enhancing decision-making and overall operational resilience.
3. Designing and developing a warning system would be a robust and reliable system capable of detecting potential hazards or threats and alerting users promptly. This system would be designed with user-friendly interfaces and efficient communication channels to ensure that warnings reach the intended recipients quickly and effectively. Additionally, the system would undergo rigorous testing to ensure its accuracy and reliability in various scenarios, ultimately enhancing safety and minimizing risks for users.
4. Ensuring successful communication among vehicles regarding safety messages would be the establishment of a standardized and interoperable communication protocol. This protocol would enable vehicles to exchange safety-related information seamlessly, such as collision warnings, road conditions, and traffic congestion updates. By implementing robust communication technologies, such as

5G, dedicated short-range communication (DSRC), or cellular vehicle-to-everything (C-V2X), vehicles would be able to share real-time data effectively.

5. The study aims to mitigate vehicle collisions, ultimately enhancing overall road safety and reducing the risk of accidents.

References

[1] Hamid, Umar Zakir Abdul, et al. "A review on threat assessment, path planning and path tracking strategies for collision avoidance systems of autonomous vehicles." *International Journal of Vehicle Autonomous Systems* 14.2 (2018): 134-169.

[2] Korkmaz, Kadir. "Producing the location information with the kalman filter on the gps data for autonomous vehicles." *2017 25th Signal Processing and Communications Applications Conference (SIU)*. IEEE, 2017.

[3] Ammoun, Samer, and Fawzi Nashashibi. "Real time trajectory prediction for collision risk estimation between vehicles." *2009 IEEE 5th international conference on intelligent computer communication and processing*. IEEE, 2009.

[4] Zhang, Shaojiang, et al. "Lidar-IMU and wheel odometer based autonomous vehicle localization system." *2019 Chinese control and decision conference (CCDC)*. IEEE, 2019.

[5] Dubosarskii, Gleb, Serguei L. Primak, and Xianbin Wang. "Evolution of vehicle network on a highway." *IEEE Transactions on Vehicular Technology* 68.9 (2019): 9088-9097.

[6] Atallah, Ribal F., Chadi M. Assi, and Maurice J. Khabbaz. "Scheduling the operation of a connected vehicular network using deep reinforcement learning." *IEEE Transactions on Intelligent Transportation Systems* 20.5 (2018): 1669-1682.

[7] Dahl, John, et al. "Collision avoidance: A literature review on threat-assessment techniques." *IEEE Transactions on Intelligent Vehicles* 4.1 (2018): 101-113.

[8] Liang, Le, Hao Ye, and Geoffrey Ye Li. "Toward intelligent vehicular networks: A machine learning framework." *IEEE Internet of Things Journal* 6.1 (2018): 124-135.

[9] Mao, Qian, Fei Hu, and Qi Hao. "Deep learning for intelligent wireless networks: A comprehensive survey." *IEEE Communications Surveys & Tutorials* 20.4 (2018): 2595-2621.

[10] Miller, Ronald, and Qingfeng Huang. "An adaptive peer-to-peer collision warning system." *Vehicular Technology Conference.IEEE 55th Vehicular Technology Conference. VTC Spring 2002 (Cat. No. 02CH37367)*. Vol. 1. IEEE, 2002.

[11] Wang, Rongxia, et al. "Innovative research of trajectory prediction algorithm based on deep learning in car network collision detection and early warning system." *Mobile information systems* 2021 (2021): 1-8.

[12] Bhatia, Jitendra, et al. "Software defined vehicular networks: A comprehensive review." *International Journal of Communication Systems* 32.12 (2019): e4005.

[13] Goodall, Noah J. "Real-time prediction of vehicle locations in a connected vehicle environment." No. FHWA/VCTIR 14-R4. 2013.

[14] Park, Seong Hyeon, et al. "Sequence-to-sequence prediction of vehicle trajectory via LSTM encoder-decoder architecture." *2018 IEEE intelligent vehicles symposium (IV)*. IEEE,

2018.

[15] Jawed, Shayan, et al. "Data-driven vehicle trajectory forecasting." *arXiv preprint arXiv: 1902.05400* (2019).

[16] Baek, Minjin, et al. "Vehicle trajectory prediction and collision warning via fusion of multisensors and wireless vehicular communications." *Sensors* 20.1 (2020): 288.

[17] Jiang, Daji Ergu, et al. "A Review of YOLO Algorithm Developments." *Procedia Computer Science, Volume* 199, 2022, Page 1066-1073, ISSN 1877-0509, https://doi.org/10.1016/j.procs.2022.01.135.

[18] Chen, Wanpei, Yanting Qiao, and Yujie Li. "Inception-SSD: An improved single shot detector for vehicle detection." *Journal of Ambient Intelligence and Humanized Computing* 13.11 (2022): 5047-5053.

[19] Chen, Yuxiao, Boris Ivanovic, and Marco Pavone. "ScePT: Scene-consistent, policy-based trajectory predictions for planning." *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*. 2022.

[20] Selmoune, Aya, et al. "Development of a Residential Road Collision Warning Service Based on Risk Assessment." *Journal of Advanced Transportation* 2023 (2023).

[21] Li, Guofa, et al. "Risk assessment based collision avoidance decision-making for autonomous vehicles in multi-scenarios." *Transportation research part C: emerging technologies* 122 (2021): 102820.

[22] Agarwal, Nakul, and Yi-Ting Chen. "Risk Perception in Driving Scenes." *Proceedings of Workshop on Machine Learning for Autonomous Driving at NeurIPS*. 2022.

[23] Antonante, Pasquale, et al. "Task-Aware Risk Estimation of Perception Failures for Autonomous Vehicles." *arXiv preprint arXiv: 2305.01870* (2023).

[24] Pawelec, Józef. "An Information-Communication System for Early Warning and Collision Avoidance in Road Traffic." *J.Commun.* 3.5 (2008): 40-46.

[25] Yang, Jie, Jie Wang, and Benyuan Liu. "An intersection collision warning system using Wi-Fi smartphones in VANET." *2011 IEEE Global Telecommunications Conference-GLOBECOM 2011*. IEEE, 2011.

[26] Prajapati, Sandhya, and Eugene Fernandez. "Performance evaluation of membership function on fuzzy logic model for solar PV array." *2020 IEEE International Conference on Computing, Power and Communication Technologies (GUCON)*. IEEE, 2020.

[27] Pressas, Andreas, et al. "Contention-based learning MAC protocol for broadcast vehicle-to-vehicle communication." *2017 IEEE Vehicular Networking Conference (VNC)*. IEEE, 2017.

[28] Alrehan, Alia Mohammed, and Fahd Abdulsalam Alhaidari. "Machine learning techniques to detect DDoS attacks on VANET system: A survey." *2019 2nd International Conference on Computer Applications & Information Security (ICCAIS)*. IEEE, 2019.

[29] Gyawali, Sohan, Yi Qian, and Rose Qingyang Hu. "Machine learning and reputation based misbehaviour detection in vehicular communication networks." *IEEE Transactions on Vehicular Technology* 69.8 (2020): 8871-8885.

[30] Barmpounakis, Sokratis, et al. "Collision avoidance in 5G using MEC and NFV: The vulnerable road user safety use case." *Computer Networks* 172 (2020): 107150.

[31] Guerrero-Ibanez, J., Juan Contreras-Castillo, and Sherali Zeadally. "Deep learning support for intelligent transportation systems." *Transactions on Emerging Telecommunications Technologies* 32.3 (2021): e4169.

[32] Tang, Fengxiao, et al. "Future intelligent and secure vehicular network toward 6G: Machine-learning approaches." *Proceedings of the IEEE* 108.2 (2019): 292-307.

[33]Xiaowei Chen, Wing Fung Chong, Runhuan Feng, Linfeng Zhang, Pandemic risk management: Resources contingency planning and allocation, Insurance: Mathematics and Economics, Volume 101, Part B, **2**021, Pages 359-383, ISSN 0167-6687, https://doi.org/10.1016/j.insmatheco.2021.08.001.

[34] Li, Han, et al. "Air pollution risk assessment related to fossil fuel-driven vehicles in megacities in China by employing the Bayesian network coupled with the Fault Tree method." *Journal of Cleaner Production* 383 (2023): 135458.

[35] Anbalagan, Sudha, et al. "IIDS: Intelligent intrusion detection system for sustainable development in autonomous vehicles." *IEEE Transactions on Intelligent Transportation Systems* (2023).

MANAV RACHNA
vidyayatanashat

Dr. O.P. Bhalla Central Library
Manav Rachna International Institute of Research and Studies
(A deemed-to-be-university under section 3 of UGC Act 1956)

SIMILARITY VERIFICATION CERTIFICATE

Title: **DESIGN AND INVESTIGATION OF AI-DRIVEN STRATEGIES FOR ENHANCING VEHICLE SAFETY**

Researcher: **SALONI**

Registration Number: **22/Ph.D./S/049**

Supervisor: **Dr. UMESH DUTTA**

Department: **EEE**

This is to certify that the above mentioned Short Synopsis/Thesis was scanned for similarity index through Turnitin Software on 27.06.2024 with submission ID: 2409370722 and the similarity index were found to be 5 %. The complete report running into 23 Pages, **6248** Word count with File Size 3235 KB is being forwarded to the Research Supervisor/DRC/DRB for review.

Date: 27.06.2024

Dr. Rajesh Kumar
University Librarian
Dr. O.P. Bhalla Central Library
Manav Rachna International
Institute of Research & Studies
Faridabad
27/6/24

The complete report of the above Short Synopsis/Thesis has been reviewed and the similarity index is below the accepted norms as per the University Grants Commission (Promotion of Academic Integrity and Prevention of Plagiarism in Higher Educational Institutions) Regulations 2018. The Short Synopsis/Thesis may be considered for further processing

Saloni

Research Scholar

Research Supervisor

DESIGN & INVESTIGATION OF AI-DRIVEN STRATEGIES FOR ENHANCING VEHICLE SAFETY

ORIGINALITY REPORT

Dr. Rajesh Kumar 27/6/24
University Librarian
Dr. O.P. Bhalla Central Library
Manav Rachna International Institute of Research & Studies
Faridabad

Saloni

27/06/24

5%	4%	3%	2%
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

Excluding matches less than 1%

PRIMARY SOURCES

1	Submitted to Manav Rachna International University Student Paper	2%
2	link.springer.com Internet Source	1%
3	repository.iitr.ac.in Internet Source	<1%
4	www.researchgate.net Internet Source	<1%
5	dokumen.pub Internet Source	<1%
6	Ali Pashazadeh, Giovanni Nardini, Giovanni Stea. "A Comprehensive Survey Exploring the Multifaceted Interplay between Mobile Edge Computing and Vehicular Networks", Future Internet, 2023 Publication	<1%
7	blog.me-qr.com Internet Source	<1%

8	vtrc.virginia.gov Internet Source	<1 %
9	www.mdpi.com Internet Source	<1 %
10	Submitted to Middlesex University Student Paper	<1 %
11	export.arxiv.org Internet Source	<1 %

Exclude quotes	Off	Exclude matches	< 14 words
Exclude bibliography	On		